



創新男士護理專刊



目錄

Introduction.	3
Products by Category	4
Skin Defense	5
Post Shaving	6
Problem Skin.	7
Body Sculpting	8
Beard Care	9
Sample Formulations	10
Shampoo and Face Wash.	11
Exfoliating Facial Scrub	12
Conditioning Shave Cream.	13
Anti-Aging Aftershave	14
Lightweight Mattifying Moisturizer	15
Environmental Defense Lotion.	16
Anti-Fatigue Eye Serum.	17
Beard Balm.	18



“成功總需要修飾得體”

Active Concepts建立在三大支柱上：創新技術平台、市場領先支持消費者以及有目的性產品，近二十年來，**Active Concepts**用心地從事努力發展可提供配方獨一無二的複合活性成份，為了滿足和超越消費者追求更有效的化妝品技術而急速增加的需求。

現代男士注意其外表並且更意識到與日常正確梳理相關效益，男士個人護理產品應用包括刮鬍霜、洗髮精和除臭劑，但在日漸成長的全球男士美容市場的結果是大量的產品－保濕、臉部清潔劑、抗衰老乳液、遮瑕，甚至是粉底－皆專為男士所設計的，男士美容產品在美容與個人護理市場裡是價格與數量方面成長快速分類之一，當訂製產品持續成長趨勢，在男士配方中包含適當活性成份，以滿足男士們特殊需求是相當重要的。

Active Concepts不斷觀察全球市場趨勢並創造新改革來應對市場最新需求，**Active Concepts**傳遞各種科學測試後活性成份來滿足特定需求，可涵蓋全天、全方位的現代男士日常梳理，在使用科學方法之下，**Active Concepts**在證實有效傳遞特殊功效的數據支持下，而發展了多功能活性成份。

為方便瀏覽本資料將活性成份被分配至各分類中，這些分類是根據市場需求所制定，肌膚防禦、剃鬚後、問題肌膚、塑身和鬍鬚護理等療法為明顯地被感興趣的首選，男性渴望量身訂製可提供明顯效果的方案，**Active Concepts**提供創新、多功能活性成份來支援配方師可成功進入男士個人護理市場。




產品類別



肌膚防禦

男士肌膚護理同時相似又不同於女性護理，男性皮膚已知與女性肌膚對比約厚**20%**，高含量男性賀爾蒙有助於男性厚實真皮與表皮，同時與女性肌膚相比亦有助於增加彈性蛋白和膠原蛋白的含量，鞏固酮含量的提升會使男性皮脂油量增加，然而，男性皮膚表皮因皮膚厚度與較低天然水份含量而趨向於乾燥，男性皮膚因剃鬚後和環境刺激下屏障功能遭受重大破壞，作為肌膚第一道防線最重要的是改善皮膚水合和維持最佳的肌膚屏障功能。

下列活性成份反應不同策略來替肌膚解渴與鎖住水分。



產品編號 & 名稱	INCI Name	機制	多功能效益
 20742 AcquaSeal® Coconut 椰子酯鎖水保濕劑	Cocos Nucifera (Coconut) Fruit Extract	分餾的椰子脂鎖住水分，並轉換肌膚為奢華柔軟、表面保濕膚感	•減少表皮水分散失 •抗氧化保護 •感官可感知屬性 •密集保濕
 16586 Phytofuse Renew® 復活草	Selaginella Lepidophylla Extract	保濕複合因子提供了肌膚一個保護薄膜並給予強效、長效保濕	•舒緩肌膚 •增強觸感 •改善屏障功能 •抗氧化保護
 26001 AC Hyalurosomes 新型微脂囊包覆玻尿酸	Dimethicone & Phospholipids & Polymethylsilsesquioxane & Hyaluronic Acid	微脂囊提供對時間敏感的保濕性時效遠遠超過傳統玻尿酸	•延時釋放保濕性 •增強滲透性 •平滑及柔軟肌膚
 12000 ACB Bio-Water Bamboo 竹子生物水	Lactobacillus/Arundinaria Gigantea Ferment Filtrate	營養物質被注入竹子生物水中可控制細胞吸收及輸出電解質來補充肌膚水份含量	•富含營養調理劑 •具有禪宗訴求的保濕性 •永續來源
 10414 ABS Acai Sterols EFA 巴西莓果固醇脂	Euterpe Oleracea Sterols & Linoleic Acid & Oleic Acid & Linolenic Acid	巴西莓果提供必需脂肪酸補充肌膚天然油脂屏障進而鎖住水分	•植物來源可替代羊毛脂與凡士林 •標準化必需脂肪酸 •改善屏障功能 •增加保濕量
 10568PF ABS Coconut Water PF 椰子水	Cocos Nucifera (Coconut) Water	富含營養物的椰子水平衡電解質，恢復肌膚水合及提供熱帶天堂感	•因保濕而呈現清晰的外觀和觸感 •天然電解質礦物 •滋養與調理
 10535 ABS Moringa Pterygosperma Seed Extract 辣木籽萃取	Water & Glycerin & Moringa Pterygosperma Seed Extract	經時間測試，辣木籽可幫助增加對暴露於天氣元素保護力並，修復肌膚表面	•肌膚調理 •增加屏障保護性 •天然維生素與礦物
 16882 Phytofuse Rejuvenate® 奇亞籽	Salvia Hispanica Seed Extract	從奇亞籽中分離出來的多醣體可創建一個合成支架，並促進傷口癒合與幫助細胞增殖	•抗發炎 •促進傷口癒合 •防護環境壓力 •強效抗氧化



刮鬍後

每日反覆刮鬍不斷將皮膚暴露在破壞皮膚屏障功能的磨損與細微傷口中，當刮鬍時刀片可將最外層的皮膚給移除，導致皮膚創傷及刺激，雄激素，包含睪固酮會增加刺激而抑制傷口癒合，因而呈現出男性癒合傷口的速度與女性相比下較緩慢，在剛刮鬍後而受損屏障功能的皮膚做適當的護理是必需不可少的，剃刀灼傷和刮到凸出物是經常刮鬍的男性常見挫折，所以產品必須能夠舒緩刺激及形成屏障保護皮膚同時促進癒合，反覆暴露於乾燥表面活性劑和環境因素會危害到皮膚屏障，導至出現乾燥、發炎皮膚。

下列活性成份提供了一系列機制來舒緩、鎮定，同時在治療肌膚時促進屏障功能。

產品編號 &名稱	INCI Name	機制	多功能效益
 16586 Phytofuse Renew® 復活草	Selaginella Lepidophylla Extract	保濕複合物提供了皮膚一個保護薄膜，可使皮膚具有強效與長效保濕效果	•舒緩肌膚 •增進觸感特性 •改善屏障功能 •抗氧化保護
 20228 ACB Agave HSP 龍舌蘭防護因子	Saccharomyces / Agave Americana Leaf Ferment Filtrate	龍舌蘭的熱激蛋白能最大化表面保濕並穩定細胞膜，可修復、保護及舒緩皮膚	•減少紅斑 •增加膠原蛋白合成 •抗環境壓力保護 •促進傷口癒合
 16503PF AC Moisture-Plex Advanced PF 智慧型複方保濕劑	Glycerin & Water & Sodium PCA & Urea & Trehalose & Polyquaternium-51 & Sodium Hyaluronate	增加細胞修復和穩定表皮磷脂，同時改善保濕性，並舒緩及滋潤皮膚	•減少水份蒸發 •平衡保濕 •增加屏障完整性
 16588 Phyto-Biotics Quercus™ 白櫟樹皮萃取液	Quercus Alba Bark Extract	白橡木的酚類代謝產物提供了抗氧化、舒緩、抗菌和抗老化的好處，同時增強細胞代謝	•利用幹細胞科技 •有效抗氧化劑 •提高細胞代謝 •舒緩肌膚
 16882 Phytofuse Rejuvenate® 奇亞籽	Salvia Hispanica Seed Extract	從奇亞籽分離出來的多醣體可創建合成支架，其可促進傷口癒合以及有助於細胞增殖	•抗炎 •促進傷口癒合 •抗環境壓力保護 •強效抗氧化劑
 16618 Probacillus Revive 益生菌甦醒因子	Lactobacillus Ferment Lysate	分離於保加利亞乳酸桿菌，可增強細胞更新和復甦與更新肌膚的修復速度	•優化保濕度 •維持年輕健康肌膚外觀 •利用益生菌趨勢
 20219PF AC Dermal Respiratory Factor Advanced PF 皮膚呼吸因子	Water & Saccharomyces Lysate Extract	提高細胞氧合、傷口癒合與減少發炎，同時促進膠原蛋白和彈性蛋白合成	•舒緩與修復肌膚 •刺激膠原蛋白與彈性蛋白的生成 •提高細胞呼吸作用
 20339PF ACB Bio-Chelate 5 PF 微量五元素 PF	Water & Saccharomyces/Zinc Ferment & Saccharomyces / Copper Ferment & Saccharomyces / Magnesium Ferment & Saccharomyces / Iron Ferment & Saccharomyces / Silicon Ferment	富含營養、發酵礦物有效地增強屏障功能，增加生長因子呈現更健康肌膚	•抗炎 •強化與調理肌膚 •提高細胞能量生產



問題肌膚

睪固酮幾乎影響了男性各方面的生理，不意外的睪固酮在男性皮膚外觀裡成為驅動力，睪固酮增加了臉部與身體皮脂的產量，雖然皮脂可提供保護力與預防水分流失，但過多的皮脂產量會對皮膚造成破壞，毛孔增加其尺寸以適應皮脂產量的增加，擴大的毛孔會影響皮膚表面與紋理，而皮膚上過多的皮脂則會製造出可使粉刺發展良好環境。

下列活性成份反應了控制光澤與對抗問題肌膚的不同對策

產品編號 &名稱	INCI Name	機制	多功能效益
 10229 ABS White Willow Bark Extract Powder 白柳樹皮粉末	Salix Alba Bark Extract	天然水楊酸的抗菌力可降低紅斑與發炎，促進明亮光滑肌膚	•天然水楊酸替代物 •降低紅腫與舒緩發炎 •優秀抗氧化保護力
 20496 ACB Modified Pumpkin Enzyme PF 南瓜酵素	Lactobacillus/Pumpkin Fruit Ferment Filtrate	有益的南瓜植物化合物可溫和地去除角質與滋潤，來改善肌膚外觀與質感	•強效去角質 •水分平衡 •在配方中有多重功效 •提升健康外觀肌膚
 16617 ProRevive Blemish Balm Complex 柳樹皮發酵液	Lactobacillus/Salix Alba Bark Ferment Filtrate	活性化合物增強細胞功能，增加再生與修復能力，提高膠原蛋白合成來改善膚色、減少瑕疵	•激發膠原蛋白合成 •增強細胞再生 •抗菌
 10201PF ABS Lady's Mantle Extract PF 斗篷草萃取物	Water & Alchemilla Vulgaris Extract	強效的植物多酚類可鎮靜舒緩肌膚，同時減縮小毛孔外觀，來達到乾淨與清晰肌膚功效	•最小化毛孔外觀 •抗氧化保護 •保濕
 21002PF AC Biopolymer Soy PF 大豆生物控油因子	Sodium C8-16 Isoalkylsuccinyl Soy Sulfonate	具有脂質部分的修飾蛋白，透過天然結合過多皮脂，可破壞皮膚上油脂的表面張力	•控制皮脂 •成膜性 •強烈的抗氧化性 •油性肌膚的替代方案
 20395PF AC Sebum Control Enzyme PF 皮脂控制抗痘因子	Butylene Glycol & Water & Spiraea Ulmaria Extract	天然來源的單寧酸能夠抑制激發皮脂腺分泌的激素，達到防止皮脂過多的效果，並得到煥然一新的肌膚	•控制油脂與乾燥 •天然收斂 •抗菌
 20203PF ACB Equalizing Complex PF 皮酯均衡控油複合物	Water & Sodium C8-16 Isoalkylsuccinyl Lactoglobulin Sulfonate & Salix Nigra (Willow) Bark Extract	獨特的生物改性天然聚合物與天然β-羥基酸形成天然觸感網絡與隔離過多皮脂，來達到正常化油性肌膚觸感	•促進細胞再生 •增強皮膚外觀與觸感 •恢復正常皮脂量與保濕度
 20073PF ACB Rice Bioferment PF 米發酵萃取液	Lactobacillus/Rice Ferment Filtrate	多胜肽生物聚合物可最小化皮脂的外觀，並可反射光線掩飾毛孔的存在	•控制皮脂 •最小化毛孔外觀 •促進健康外觀肌膚



雕塑身材

因受到健壯的運動員與演員的影響，現代男性在尋找定義與雕塑他的完美身形，在過去，男性被提倡需自己照顧他們自己以吸引女性目光 – 然而，新世代男性更傾向於期待自我提升，此陽剛的革命促使適合於積極生活方式的塑身產品蓬勃發展，結合抗衰老、塑身及抗氧化等益處有助於任何男性雕塑其身材。

下列活性成份特徵為不同方式來明顯地減少瑕疵並促進更年輕、強健美感


產品編號 &名稱	INCI Name	機制	多功能效益
 16634 AC Griffonia Lysate Advanced 加纳籽愉悦因子	Griffonia Simplicifolia Seed Extract	來自天然來源的神經傳遞物質與高分子量的醣類給予皮膚具體與柔軟薄膜	•緊緻與提拉 •神經美容學 •立即有感效果 •長效抗衰老功效
 20793PF AC CytoSulf PF 海洋浮游生物萃取液	Plankton Extract	浮游生物所衍生的硫化物提供了誘發皮膚細胞停滯，透過實際科學應用可達抗老化之功效	•減緩細胞老化 •保濕 •新世代的抗衰老
 20757PF AC CytoPure PF 海洋異養型微型藻萃取液	Crypthecodinium Cohnii Extract	激活穀胱甘肽的能力來減少活性氧物質的積累，以增進細胞壽命與傷口癒合	•抗汙染活性 •細胞的排毒 •癒合傷口
 20456PF AC DermaPeptide Tightening PF 皮膚胜肽緊緻劑	Hydrolyzed Wheat Protein	高分子量小麥蛋白在皮膚表面形成連續性彈性薄膜，可緊緻與緊實肌膚	•瞬間緊緻 •成膜性 •增強皮膚物理性能 •緊膚效果
 16504 AC Hydrating Seaweed Complex 複方保濕藻類萃取液	Pentaerythrityl Tetraethylhexanoate & Laminaria Japonica Extract & Nereocystis Leutkeana Extract & Macrocystis	海藻萃取物提供卓越的保濕，而達到平滑、柔軟及水嫩嘴唇與皮膚	•平滑與保濕 •緊緻效果 •減少明顯的老化跡象 •滋養
 60172 AC Caffeine Liposome 10% PF 10%咖啡因微脂囊	Water & Caffeine & Phospholipids	咖啡因合併微脂囊可增強咖啡因增進皮膚微循環功效	•改善橘皮組織外觀 •抗氧化 •增加微循環 •瘦身效果
 10286 ABS Apple AHA's 複方果酸AHA	Water & Propylene Glycol & Malic Acid & Pyrus Malus (Apple) Fruit Extract & Glycolic Acid & Lactic Acid & Citric Acid	天然來源的果酸可去除皮膚最外層角質，以減少明顯的瑕疵肌膚	•可立即感受到的平滑感 •去角質與柔軟肌膚 •果酸產品 •抗老化
 22040 Active.Lite® Active LITE 美白劑	Saccharomyces/Grape Ferment Extract	均勻膚色，透過抑制黑色素基因轉錄而創造完美無缺膚色	•均勻膚色 •提亮膚色 •快速美白效果



鬍鬚護理

男性毛髮護理市場正迅速發展中，臉部毛髮仍然引領著時尚趨勢，並跨越各社會階層 – 不再僅限於一個城市範圍的文青時尚趨勢，在現今企業界中蓄鬍已是常見並且被接受的！此使得除了刮鬍以外的梳理美容產品需求量增加，包含臉部毛髮保養、調理與造型，鞣固酮會驅使粗糙的臉部毛髮生長，毛髮扁平型狀的毛囊使其捲曲，臉部毛髮的厚度與捲曲形成乾燥不羈的鬍鬚。

下列活性成份將詳細闡述調理、健康毛髮的最佳方法

產品編號 &名稱	INCI Name	機制	多功能效益
 20037 ACB Quinoa Protein 藜麥蛋白	Hydrolyzed Quinoa	被分離出來的高含量天然存在蛋白質 提供了緩解乾燥髮質功效	•修復性 •滋養 •提供強烈滋潤 •強健毛髮纖維
 10558 ABS Royal Jelly Extract G 蜂王乳-保濕滋潤	Glycerin & Royal Jelly	維生素深層滋養並調理角質層，提供 了一個平滑光澤的美學外觀	•減少毛躁 •密封角質層 •修復分叉 •維生素B、C、D & E
 20742 Acquaseal® Coconut 椰子脂鎖水保濕劑	Cocos Nucifera (Coconut) Fruit Extract	分餾的脂質傳遞迅速、效果顯著、瞬 間與長效保濕來舒緩缺水的毛髮	•觸覺管理 •改善光澤度 •增強梳理性 •適合各種類型髮質
 20036 ACB Kale Protein Blend <u>羽衣甘藍複合蛋白</u>	Hydrolyzed Kale Protein & Hydrolyzed Carrot Protein & Hydrolyzed Lemon Protein	蛋白質附著於毛髮纖維，可滋養毛髮 並同時創件功能性薄膜與保護屏障	•改善整理性 •豐盈 •鎖住水分 •增強光澤度
 16810 ACB Pisum Sativum Peptide <u>豌豆胜肽</u>	Pisum Sativum (Pea) Peptide	透過其優異的成膜性和深層調理特性 能夠有效地調理與保濕髮絲	•改善梳理性 •創造柔軟毛髮 •調理 •抗氧化
 15009 AC Olive Oil Clear 特選橄欖油	Olea Europaea (Olive) Fruit Oil	富含柔軟特性可替粗糙不羈的毛髮帶 來滋潤效果	•定型能力 •撫平毛躁 •適合各種類型髮質 •適合粗糙不羈的毛髮
 10247 ABS Pomegranate Sterols <u>紅石榴固醇脂</u>	Punica Granatum Sterols	脂質分餾產生了保濕度增加與對抗 環境壓力的保護屏障效果	•最小化黏膩感 •增進毛髮平順光澤 •天然產品替代物 •超級水果趨勢
 20039 ACB Botanical Sugar Complex 生物發酵木薯糖分子	Tapioca Starch & Lactobacillus Ferment Lysate	植物發酵後可增強其生物利用度，可 使得水份能被迅速吸收進入毛髮裡	•滋養毛髮 •抗毛躁 •抗氧化特性 •無刺激材料



配方範例



洗髮精與潔面乳

清潔與護理雙效合一的臉部與頭髮產品。
ACB Kale Protein Blend 羽衣甘藍複合蛋白結合了羽衣甘藍、胡蘿蔔和檸檬的能力在富含營養的配方中，可滋潤與調理皮膚同時增加頭髮可塑性

Trade Name		INCI Name	%	Vendor
Phase A				
Deionized water	Water (Aqua)		51.90	Local
Disodium EDTA	Disodium EDTA		0.10	Spectrum Chemical
Calfoam® ES-302	Sodium laureth sulfate		13.00	Nexeo Solutions
Cola® TericCOAB-UP	Cocamidopropyl betaine		4.00	Colonial Chemical
Pureact WS	Sodium methyl cocoyltaurate		5.00	Innospec
Phase B				
Masamide® CO	Cocamide DEA		4.00	Pilot Chemical
Glucolam® MG	PEG-120 methyl glucose dioleate		3.00	Aqia
Phase C				
Citric acid	Citric acid		q.s.	Spectrum Chemical
Phase D				
ACB Pisum Sativum Peptide	Pisum Sativum (Pea) Peptide		3.00	Active Cocnepts
Deionized water	Water (Aqua)		10.00	Local
ACB Kale Protein Blend	Hydrolyzed Kale Protein &Hydrolyzed Carrot Protein & Hydrolyzed Lemon Protein		2.00	Active Cocnepts
Phase E				
Leucidal® Liquid Complete	Leuconostoc/Radish Root Ferment Filtrate & Lactobacillus &Cocos Nucifera (Coconut) Fruit Extract		4.00	Active Micro Technologies
Fragrance* (FAV-118077)			optional	
Procedure				

1. Mix Phase A until it is homogeneous.
2. Add Phase A to a mixed Phase B under stirring.
3. Adjust pH to 6.5-7 using Citric Acid.
4. Pre-mix Phase D and add to main beaker while stirring
5. Cool and add Phase E.

[illegible]

ABS White Willow Bark Extract Powder 白柳樹皮粉末可自然的去除角質、減少發紅並舒緩刺激感，呈現出更明亮更健康之肌膚外觀

Trade Name	INCI Name	%	Vendor
Phase A			
Deionized Water	Water (Aqua)	62.00	Local
Keltrol®	Xanthan Gum	1.00	CP Kelco
Glycerin	Glycerin	3.00	Spectrum Chemical
ABS White Willow Bark Extract Powder	Salix Alba (Willow) Bark Extract	4.00	Active Concepts
Amphosol® HCG-HP	Cocamidopropyl Betaine	10.00	Stepan
Phase B			
Phytomulse® Chlorella	Cetearyl Alcohol &Glyceryl Stearate &Chlorelleth-20	6.00	Active Concepts
AC Peppermint Oil	Mentha Piperita (Peppermint) Oil	5.00	Active Concepts
Phase C			
Citric Acid	Citric acid	q.s.	Spectrum Chemical
ABS Green Coffee Bean Powder	Coffea Robusta Seed Powder	5.00	Active Concepts
Leucidal® Liquid Complete	Leuconostoc/Radish Root Ferment Filtrate & Lactobacillus &Cocos Nucifera (Coconut) Fruit Extract	4.00	Active Micro Technologies

Procedure

1. Disperse xanthan gum in water with continuous agitation while heating to about 65-70°C.
2. Add remaining Phase A ingredients, mixing well to ensure dispersion before adding the next.
3. Gently heat Phase B until dissolved and uniform.
4. Add Phase B to Phase A with continuous mixing.
5. Adjust pH to 5.5 using Citric Acid.
6. Add in Leucidal® Liquid Complete, mix well.
7. With gentle paddle agitation, add in physical exfoliant- ABS Green Coffee Bean Powder.

[illegible]

AcquaSeal Coconut 椰子脂鎖水保濕劑、ABS Macadamia Butter 夏威夷果油脂、AC Marula Oil馬魯拉油以及AC Almond Oil 杏仁油可強烈滋潤與深層滋養，能輕易刮鬚與柔軟皮膚

Procedure
1. Disperse xanthan gum in water with continuous agitation while heating to about 65-70°C. 2. Add AC Dermal Respiratory Factor Advanced PF, mix well. 3. Melt phase B components in a separate glass beaker by heating them to about 65-70°C. 4. When melted, add phase B to phase A, and homogenize the mixture for 5 minutes at 65-70°C. 5. Remove from the heat and start cooling under continuous stirring to 50°C. 6. Once phase A/B reaches 50°C, add phase C and homogenize the mixture. 7. After reaching room temperature, add phase D and slowly mix until uniform.



抗老化鬚後液

在刮鬚後立即舒緩與喚醒肌膚，同時有助於維持肌膚持久的年輕外觀。
AC CytoSulf PF 海洋浮游生物萃取液在刮鬚後有抗衰老特性，來自於了解、實踐科學來誘導細胞靜止與抗老化

Trade Name	INCI Name	%	Vendor
Phase A			
Deionized Water	Water (Aqua)	68.10	Local
Carbopol® 940 Polymer	Carbomer	0.50	Lubrizol
Polysorbate 80	Polysorbate 80	0.50	Spectrum Chemical
Tetrasodium EDTA	Tetrasodium EDTA	0.20	Spectrum Chemical
AC CytoSulf PF	Plankton Extract	1.00	Active Concepts
Phase B			
SilDerm® Smoothing	Cyclomethicone & Dimethicone	2.00	Active Concepts
Phytomulse® Amaranth	Cetearyl Alcohol & Glyceryl Stearate & Amarantheth-20	5.00	Active Concepts
Xiameter® PMX-0245	Cyclopentasiloxane	5.00	Dow Corning
Ethanol	Ethyl Alcohol	7.00	Spectrum Chemical
Triethanolamine 99	Triethanolamine	0.50	Coast Southwest
Vitamin E Acetate	Tocopheryl Acetate	0.20	Spectrum Chemical
AC Fractionated Lemon Cooling OS	Citrus Limon (Lemon) Fruit Extract	5.00	Active Concepts
AC Olive Oil Clear	Olea Europaea (Olive) Fruit Oil	1.00	Active Concepts
Phase C			
Leucidal® Liquid Complete	Leuconostoc/Radish Root Ferment Filtrate & Lactobacillus & Cocos Nucifera (Coconut) Fruit Extract	4.00	Active Micro Technologies

Procedure
1. Sprinkle Carbopol®940 polymer on the surface while mixing and wait until the polymer is self-wetted.
2. Add remaining Phase A ingredients with continuous mixing. Ensure dispersion before adding the next.
3. Combine Phase B ingredients into a mixer, mix until uniform.
4. Add Phase B to Phase A with continuous mixing.
5. Add Phase C.



清爽啞光保濕液

使用此低分子量、透氣保濕劑來控油，以達到啞光無油光外觀。
AC Biopolymer Soy PF 大豆生物控油因子可在皮膚不脫水狀況下控制皮脂，促進整天的膚色清新

Trade Name	INCI Name	%	Vendor
Phase A			
Deionized Water	Water (Aqua)	78.40	Local
Carbopol® 940 Polymer	Carbomer	0.40	Lubrizol
Tetrasodium EDTA (5%)	Tetrasodium EDTA	0.90	Spectrum Chemical
Phase B			
Chemonic CCG-6 Surfactant	Caprylic/Capric Triglycerides	6.00	Lubrizol
Phytomulse® Coconut	Cetearyl Alcohol &Glyceryl Stearate & Coceth-20	5.00	Active Concepts
Phase C			
Sodium Hydroxide (18%)	Sodium Hydroxide	0.30	Spectrum Chemical
AC Biopolymer Soy PF	Sodium C8-16 Isoalkylsuccinyl Soy Sulfonate	5.00	Active Concepts
Leucidal® Liquid Complete SF	Lactobacillus Ferment &Lactobacillus &Cocos Nucifera (Coconut) Fruit Extract	4.00	Active MicroTechnologies

Procedure
1. Sprinkle Carbopol®940 polymer on the surface while mixing and wait until the polymer is self-wetted.
2. Add remaining Phase A ingredients and begin to heat.
3. Mix Phase B in a separate beaker and begin to heat.
4. Add Phase B to Phase A under high speed mixing. Remove from heat.
5. Homogenize for 3 minutes.
6. Neutralize with sodium hydroxide until pH is about 5.0-5.5. Continue to mix and cool down.
7. Add Phase C ingredients with continuous mixing.



環境防禦乳液

使用此SPF與抗汙染雙效乳液可在環境壓力的危害因子下保護肌膚。
AC CytoPure PF海洋異養型微型藻萃取液從細胞中排毒來預防對抗汙染所引起的老化現象

Trade Name	INCI Name	%	Vendor
Phase A			
Deionized Water	Water	42.40	Local
Liposorb® L-20	Polysorbate 20	1.00	Vantage
Phase B			
Glycerin U.S.P. Natural 96%	Glycerin	4.00	Cognis Corp.
KELTROL® CG	Xanthan Gum	0.20	CP Kelco
Phase C			
Dermol 25B	C12-15 Alkyl Benzoate	23.15	Alzo International Inc.
TNSS75MZCM	Zinc Oxide (And) Ethylhexyl Methoxycrylene (And) C12-15 Alkyl Benzoate (And) Polyhydroxystearic Acid (And) Hydrogen Dimethicone	9.80	Kobo Products
Phytomulse® Coconut	Cetearyl Alcohol & Glyceryl Stearate & Coceth-20	3.45	Active Concepts
AcquaSeal® Coconut	Cocos Nucifera (coconut) Fruit Extract	0.50	Active Concepts
Phase D			
MSS-500W	Silica	3.00	Kobo Products
Sepigel™ 305	Polyacrylamide (And) C13-14 Isoparaffin (And) Laureth-7	1.00	ChemyUnion/SEPPIC
Phase E			
PhytoFuse® Rejuvenate	Salvia Hispanica Seed Extract	2.00	Active Concepts
ACB Wakame Bioferment Advanced	Undaria Pinnatifida Cell Culture Extract	1.00	Active Concepts
AC DermaPeptide Tightening PF	Hydrolyzed Wheat Protein	2.00	Active Concepts
AC CytoPure PF	Crypthecodinium Cohnii Extract	2.50	Active Concepts
ACB Bio-Chelate 5 PF	Water & Saccharomyces/Zinc Ferment & Saccharomyces/Copper Ferment & Saccharomyces/Magnesium Ferment & Saccharomyces/ Iron Ferment & Saccharomyces/Silicon Ferment	2.00	Active Concepts
Phase F			
Leucidal® SF Complete	Lactobacillus Ferment & Lactobacillus & Cocos Nucifera (coconut) Fruit Extract	2.00	Active Micro Technologies
Procedure			

1. Combine Phase A into main beaker and heat to 70°C.
2. In a separate container, combine Phase B ingredients into a slurry. Add Slowly to Phase A while mixing.
3. Add Phase C to main beaker under homogenization.
4. In a separate container, combine Phase D ingredients and heat to 70°C.
5. Add Phase E & F to main beaker while cooling to 45°C.
6. Once cooled, add Parts 6 and 7 to main beaker.

[illegible]

AC Griffonia Lysate Advanced加納籽裂解液可立即緊緻拉提肌膚，達到呈現緊實與年輕膚色外觀

Procedure

1. Mix Phase A well.
2. Once Phase A is mixed, add Phase B ingredients one at a time to ensure incorporation before adding the next.
3. Add Phase C ingredients one at a time to the batch, mix well.



鬍鬚膏

使用此滋養鬍鬚膏來馴服、造型與滋潤細鬚
AcquaSeal Coconut 椰子脂鎖水保濕劑賦予肌膚與毛髮絲滑質感，並無油膩感與殘留感

Trade Name	INCI Name	%	Vendor
Phase A			
Deionized Water	Water (Aqua)	75.9	Local
Phytofuse® Renew	Saliganella Leipidophylla Extract	3.00	Active Concepts
Carbopol® Ultrez 10 Polymer	Carbomer	0.40	Lubrizol
Glycerin	Glycerin	2.00	Spectrum Chemical
Zemea® Propanediol	Propanediol	2.00	Dupont Tate &Lyle
Phase B			
Pemulen™ TR-1	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.20	Lubrizol
AcquaSeal® Coconut	Cocos Nucifera (coconut) Fruit Extract	3.00	Active Concepts
ABS Acai Sterols EFA	Euterpe Oleracea Sterols &Linoleic Acid &Oleic Acid & Linolenic Acid	3.00	Active Concepts
Phase C			
Fixate™ Freestyle Polymer	Acrylates Crossspolymer-3	3.00	Lubrizol
SilDerm® Acrylate	Acrylates/Dimethicone Copolymer	3.00	Active Concepts
Phase D			
Sodium Hydroxide (18%)	Sodium Hydroxide	0.50	Spectrum Chemical
Phase E			
Leucidal® Liquid Complete SF	Lactobacillus Ferment &Lactobacillus &Cocos Nucifera (Coconut) Fruit Extract	4.00	Active Micro Technologies

Procedure
1. Add Phytofuse® Renew to water while mixing. Allow to mix thoroughly.
2. Sprinkle Carbopol® Ultrez 10 polymer on the surface while mixing and wait until the polymer is self-wetted.
3. Add remaining Phase A ingredients ensuring fully disperesed before adding the next.
4. Combine Phase B and mix until the polymer is finely dispersed.
5. Add Part B to Part A under rapid mixing Allow mixing for at least 20-30 minutes.
6. Homogenize product.
7. Add Phase C with gentle mixing
8. Neutralize with Sodium Hydroxide to pH=5.0-5.5 while mixing. Add Phase E while mixing



法麗緻有限公司 TEL : 07-3599380 FAX : 07-3599370

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification. Freedom from patent infringement is not implied. All information is for investigative purposes only.